J. Field Ornithol., 69(4):675–679

Indices to Volume 69

Compiled by Michelle Cawthorn

Three indices follow: an author index, a subject/geographic index, and a taxonomic index of avian species mentioned in the volume.

Author Index

(An "r" following a page number indicates the author of a publication that has been reviewed in our recent literature section.)

Abeloe, T. N., 500 (r)
Adam, M. D., 257–261
Adde, C., 666 (r)
Afton, A. D., 276–287, 647–653
Aigner, P. A., 673 (r)
Alatalo, R. V., 495–496 (r)
Alcántara, J. M., 563–576
Alisauskas, R. T., 262–268, 647–653
Alvarez, F., 58–65
Andersen, D. E., 492–493 (r)
Anderson, S. H., 109–116
Andres, B. A., 626–634
Andress, R. A., 344 (r)
Angelstam, P. 673–674 (r)
Ankney, C. D., 262–268
Aparicho, J. M., 666 (r)
Arendt, W. J., 1–7
Arvidsson, B., 130 (r)
Asheim, M., 133 (r)
Askenmo, C., 130 (r)
Atkinson, I. A., 346–347 (r)
Backman, J., 494 (r)
Bacon, L. M., 391–401
Baicich, P. J., 505–506 (r)
Balda, R. P., 494 (r)
Barber, C. A., 444–449
Barbosa, A., 499 (r)
Barton, T. R., 498 (r)
Bean, I., 664 (r)
Becker, P. H., 505 (r), 664 (r)
Belant, J. L., 128 (r)
Belliure, J., 269–275
Bennetts, R. E., 670 (r)
Bensch, S., 341 (r), 502–503 (r)
Berman, K. E., 654–660
Bernhardt, G. E., 128 (r)
Bhagabati, N., 18–29
Bianchi, C. A., 502 (r)
Biddau, L., 131 (r)
Bildstein, K. L., 348 (r), 493–494 (r)
Birkhead, T. R., 132 (r)
Bissonette, J. A., 192–200
Blackwell, B. F., 131 (r), 137–138 (r)
Blanchard, P., 511–529
Blanco, G., 340 (r), 505 (r)
Block, W. M., 673 (r)
Blokpoel, H., 344 (r), 495 (r)
Boersma, P. D., 493 (r)
Boland, C. R. J., 497–498 (r), 661–662 (r)
Bond, P. J., 491–492 (r)
Bowmaker, J. K., 345 (r)
Breeland, J. K., 672–673 (r)
Breitenmoser-Würsten, C., 495 (r)
Breitwisch, R., 504 (r)
Bridgman, H. A., 499–500 (r)
Brigham, R. M., 663 (r)
Brinker, D. F., 466–473
Brook, B. W., 347 (r)
Brooker, M., 128 (r)
Brooks, R. P., 288–298
Brown, J. L., 18–29
Brown, K. P., 346 (r)
Brua, R. B., 530–535
Brun, J., 595–602
Bruun, M., 341 (r)
Buchanan, K. L., 132 (r)
Buckley, N. J., 536–539
Buckley, P. A., 511–529
Bures, S., 496 (r)
Burger, A. E., 130 (r)
Bustamante, J., 500–501 (r)
Bustnes, J. O., 667 (r)
Cabrera, M. B., 117–120
Cannell, P., 511–529
Canova, L., 131 (r)
Carder, J. P., 494 (r)
Carlier, P., 342–343 (r)
Carpenter, L. B., 244–256
Carter, J. L., 665 (r)
Catchpole, C. K., 132 (r)
Catry, P., 491 (r)
Ceballos, O., 500–501 (r)
Cezilly, F., 343–344 (r)
Chambers, C. L., 501 (r)
Chandler, C. R., 664 (r)
Chapman, E. W., 51–54

Chappell, J., 500 (r)
Clarke, J., 149–159
Clawson, M. R., 180–191
Cockburn, A., 497–498 (r), 661–662 (r)
Codenotti, T. L., 58–65
Collopy, M. W., 498–499 (r)
Conant, S., 140 (r)
Conover, M. R., 192–200
Conroy, M. J., 306–315
Cooper, R. J., 55–57, 450–456
Cornell, K. T., 402–414
Coulson, J. C., 665 (r)
Cox, R. R., Jr., 276–287
Crick, J. Q. P., 139 (r)
Custer, C. M., 140–141 (r)
Custer, T. W., 140–141 (r)
Dahlhaug, L., 133 (r)
Darolova, A., 142–143 (r)
Davis, E. E., 662–663 (r)
Davis, L. S., 493 (r)
Dayer, K. A., 209–222
De Rebeira, P., 128 (r)
De Santo, T. L., 493–494 (r)
de la Cruz-Cardiel, P. J., 672 (r)
de la Zerda Lerner, S., 457–465
Dean, T. F., 51–54
Deceuninck, B., 672 (r)
Delany, M. F., 51–54
Delisle, J. M., 340 (r)
des Lauriers, J. R., 257–261
DeSante, D. F., 511–529
Devoogd, T. J., 132 (r)
Dhondt, A. A., 499 (r), 577–586
Dieter, C. D., 673 (r)
Dobkin, D. S., 430–443
Dolbeer, R. A., 128 (r)
Domènech, J., 380–385
Donázar, J. A., 142 (r), 500–501 (r)
Drobney, R. D., 299–305
Dube, N. R., 131 (r)
Ducan, R. P., 140 (r)
Duguay, J. P., 85–94
Dunn, E. H., 577–586
Dwyer, P. D., 336 (r)
Dyer, P. K., 665 (r)
Eens, M., 341–342 (r)
Egan, K. H., 501–502 (r)
Ehrich, D., 339–340 (r)
Elena-Rossello, J. A., 672 (r)
Elfstrom, S. T., 336 (r)
Ellegren, H., 666 (r)
Elston, D. A., 498 (r)
Er, K. B. H., 137 (r)
Erikstad, K. E., 133 (r)
Faaborg, J., 1–7
Fallon, P. A., 338 (r)
Fancy, S. G., 347 (r)
Fasola, M., 131 (r), 669 (r)
Fauchald, P., 133 (r)
Fernandes, C., 505 (r)
Ferrer, M., 8–17, 269–275
Figuerola, J., 670–671 (r)
Flaspohler, D., 201–208
Flinks, H., 661 (r)
Ford, R. J., 450–456
Forero, M. G., 142 (r)
Francis, C. M., 511–529
Frank, D., 664 (r)
Frankham, F., 347 (r)
Franklin, D. C., 337–338 (r)
Fransson, T., 667 (r)
Frederick, P. C., 670 (r)
Friesen, V. L., 671–672 (r)
Fry, C. H., 348–349 (r)
Fuemmeler, W. J., 299–305
Furness, R. W., 491 (r)
Garvin, M. C., 209–222
Geering, D., 499–500 (r)
Gibbs, J. P., 141 (r)
Gill, S. A., 134–135 (r), 138–139 (r)
Gillham, B., 351 (r)
Gillham, E., 351 (r)
Glanz, W. E., 603–613
Gloutney, M. L., 223–227, 647–653
Gauthreaux, S. A., Jr., 316–325
Godin, A. J., 131 (r)
Goldin, M. R., 228–234
Goldstein, R. R., 134 (r)
Gonzalez, S., 499 (r)
Götmark, F., 138 (r)
Gowaty, P. A., 129–130 (r)
Granadeiro, J. P., 505 (r)
Graves, G. R., 121–127
Greenwood, J. J. D., 139 (r)
Grieef, P. M., 138–139 (r)
Gutierrez, R., 670–671 (r)
Haffer, J., 671 (r)
Hafner, H., 343 (r), 669 (r)
Haggerty, T. M., 45–50
Hahn, S., 663–664 (r)
Halkin, S. L., 131–132 (r), 665 (r)
Halonen, M., 495–496 (r)
Hamel, P. B., 450–456
Hansson, B., 341 (r)
Haramis, G. M., 466–473
Hardern, R., 347 (r)
Hardy, P. C., 500 (r)
Harmata, A. R., 326–335
Harper, R. G., 71–74
Harris, M. P., 498 (r)
Harrison, C. J. O., 505–506 (r)
Hasselquist, D., 341 (r)
Heath, L. A., 345 (r)
Hedenström, A., 103–108

Heeb, P., 497 (r)
Hegyi, Z., 339 (r)
Heinsohn, R., 497–498 (r), 661–662 (r)
Helle, P., 503 (r)
Hess, C. A., 663 (r)
Higgins, K. F., 673 (r)
Hill, G., 353–363, 486–490
Hiraldo, F., 142 (r), 500–501 (r)
Hirschenhauser, K., 662 (r)
Hobson, K. A., 135–136 (r), 223–227, 262–268
Höglund, J., 136 (r)
Hogstad, O., 338–339 (r)
Hoi, H., 142–143 (r)
Holler, N. R., 486–490
Hooper, R. G., 492 (r)
Houlihan, P. W., 338 (r)
Hovi, M., 495–496 (r)
Huber-Eicher, B., 662 (r)
Hughes, A. G., 549–556
Hunt, D. M., 345 (r)
Hunter, C. P., 336 (r)
Husak, J. F., 492 (r)
Husak, M. S., 492 (r)
Jacobi, J. D., 347–348 (r)
James, F. C., 663 (r)
Janss, G. F. E., 8–17
Jawor, J. M., 209–222
Johnsgard, P. A., 144 (r), 508–509 (r)
Johnson, A. R., 669–670 (r)
Johnston, J. W., 493–494 (r)
Joyce, S., 665 (r)
Kamil, A. C., 494 (r)
Kearns, G. D., 466–473
Keith, S., 348–350 (r)
Kellner, C. J., 55–57
Kelly, J. F., 75–84, 386–390
Kemp, K. E., 139 (r)
Kempenaers, B., 499 (r)
Kenward, R. E., 661 (r)
Kerbes, R. H., 647–653
Kerry, K., 149–159
Ketterson, E. D., 664 (r)
Khan, M. Z., 497 (r)
Kinkel, L. K., 141 (r)
Kinley, T. A., 342 (r)
Kitchens, W. M., 670 (r)
Klaas, E. E., 262–268
Kochert, M. N., 244–256
Koivula, K., 129 (r)
Koivula, M., 337 (r)
Kolliker, M., 497 (r)
Korpimaki, E., 337 (r)
Kotrschal, K., 662 (r)
Kowalsky, J. R., 654–660
Krabbe, N., 501 (r)
Kratter, A. W., 37–44
Krementz, D. G., 306–315
Kreutzer, M., 664 (r)
Krohn, W. B., 131 (r), 137–138 (r)
Kroodsma, D. E., 338 (r)
Kushlan, J. A., 348 (r)
Kwartin, N. B., 466–473
Laber, J., 504 (r)
Lang, J. D., 306–315
Leblanc, L., 493 (r)
Lefebvre, L., 342–343 (r)
Lehman, R. N., 244–256
Lentner, R., 668 (r)
Leslie, D. M., Jr., 337 (r)
Lifjeld, J. T., 666 (r)
Liker, A., 336–337 (r)
Lim, L., 347 (r)
Linder, K. A., 109–116
Linville, S. U., 504 (r)
Loeb, S. C., 492 (r)
Lonne, O. J., 667 (r)
Lorenzana, J., 364–375
Lovallo, M. J., 474–485
Lubjuhn, T., 595–602
Ludwig, E., 339 (r)
Lundberg, A., 495–496 (r)
Macedo, R. H., 502 (r)
Maddock, M., 499–500 (r)
Maechtle, T. L., 66–70
Martella, M. B., 117–120
Mateman, A. C., 504 (r)
Matthiensen, D. P., 493 (r)
Mayer-Cross, H., 139 (r)
McCleery, R., 169–179
McComb, M. C., 501 (r)
McLandress, M. R., 647–653
Merino, S., 499 (r)
Meyers, P. M., 192–200
Mikusinski, G., 673–674 (r)
Miller, H. W., 136–137 (r)
Milonoff, M., 133 (r)
Miyazawa, Y., 491 (r)
Mizrahi, D. S., 316–325
Mönkkönen, M., 503 (r)
Monteiro, L. R., 419–429
Montgomery, K., 503 (r)
Montopoli, G. J., 326–335
Mora, M. A., 130–131 (r)
Moreno, J., 269–275, 499 (r), 557–562
Morrison, M. L., 673 (r)
Mostl, E., 662 (r)
Murphy, E. C., 135 (r)
Murphy, K. L., 402–414
Murphy, M. T., 402–414
Muth, S., 595–602
Naguib, M., 338 (r)
Nakamura, H., 491 (r)
Nakamura, S., 132 (r)

Nastase, A. J., 341 (r)
Navarro, J. L., 117–120
Neergaard, R., 130 (r)
Neudorf, D. L., 30–36, 134–135 (r)
Neuman, J., 495 (r)
Newhouse, N. J., 342 (r)
Niemi, G. J., 503 (r)
Nolan, V. Jr., 664 (r)
Noske, R. A, 135 (r)
O'Brien, T. G., 129 (r)
O'Connell, M. J., 665 (r)
Ogden, J. C., 670 (r)
Orell, M., 129 (r)
Osborn, R. G., 673 (r)
Ostrand, W. D., 192–200
Ottosson, U., 494 (r)
Parmelee, D. F., 138 (r)
Parmelee, J. M., 138 (r)
Patten, M. A., 614–625
Paull, D., 340 (r)
Pavel, V., 496 (r)
Pavis, C., 415–418
Pearson, S. F., 587–594
Pellatt, E. J., 132 (r)
Peris, S. J., 672 (r)
Pinxten, R., 341–342 (r)
Plentovich, S. M., 486–490
Plumpton, D. L., 492–493 (r)
Potti, J., 499 (r), 505 (r)
Poulin, R. G., 663 (r)
Poulsen, B. O., 501 (r)
Powell, G. V. N., 635–643
Powell, L. A., 306–315
Poysa, H., 133 (r)
Pratt, T. K., 654–660
Prosser, D. J., 288–298
Purchase, D., 169–179
Pyle, P., 143–144 (r)
Racz, C. L., 494 (r)
Ramos, J. A., 419–429
Ranner, A., 504 (r)
Rappole, J. H., 635–643
Ratcliffe, N., 419–429, 491–492 (r)
Raven, S., 665 (r)
Ray, J. D., 136–137 (r)
Regosin, J. V., 228–234
Reis, A., 505 (r)
Rich, A. C., 430–443
Richardson, D., 491–492 (r)
Richner, H., 497 (r)
Ritchison, G., 85–94
Rivera-Rodríguez, L. B., 160–168
Robbins, C. S., 511–529
Robel, R. J., 139 (r)
Robertson, R. J., 444–449
Roche, J. P., 603–613
Rodl, T., 661 (r)
Rodrigues, M., 668 (r)
Rodríguez-Estrella, R., 160–168
Rohner, C., 139 (r)
Rohwer, S., 587–594
Romero, M., 563–576
Roper, J. J., 134 (r)
Rose, A. M., 128 (r)
Rosenberg, K. B., 577–586
Rotella, J. J., 180–191, 391–401
Rotenberry, J. T., 614–625
Rozsa, L., 345–346 (r)
Russell, K. R., 316–325
Ryder, J. P., 647–653
Sadoul, N., 668–669 (r)
Sagar, P. M., 340 (r)
Sanchez-Lafuente, A. M., 563–576
Sandell, M. I., 341 (r)
Sandercock, B. K., 235–243
Sanz, J. J., 503–504 (r)
Savage, A. R., 540–548
Savidge, J. A., 340 (r)
Schauer, J. H. S., 135 (r)
Schilling, A. J., 504 (r)
Schleicher, B., 142–143 (r)
Schultz, J. H., 299–305
Schweitzer, S. H., 337 (r)
Scott, J. G., 474–485
Scott, R. L., 491–492 (r)
Sealy, S. G., 134–135 (r), 138–139 (r), 364–375
Sekerak, C. M., 498–499 (r)
Senar, J. C., 380–385
Seto, N. W. H., 140 (r)
Sheldon, F. H., 344–345 (r)
Sheriff, S. L., 299–305
Sherry, D. A., 341 (r)
Shorrock, G., 549–556
Silva, M. A., 505 (r)
Simberloff, D., 346 (r)
Simon, J. C., 644–646, 654–660
Singleton, D. R., 71–74
Slagsvold, T., 666 (r)
Slattery, S. M., 647–653
Slikas, B., 344–345 (r)
Smith, G., 511–529
Smith, H. G., 494 (r), 341 (r)
Smith, W. P., 450–456
Snetsinger, T., 347 (r)
Sockman, K. W., 95–102
Solá, E., 419–429
Staib, L. M., 138–139 (r)
Stauffer, D. F., 457–465
Steenhof, K., 244–256
Stenberg, I., 338–339 (r)
Stennett, S., 491–492 (r)
Stewart, K. M., 493 (r)
Stiles, F. G., 142 (r)

Stöhr, S., 136 (r)
Storm, G. L., 474–485
Szekely, T., 132 (r), 336–337 (r)
Tarof, S. A., 30–36
Tarvin, K. A., 209–222
Tella, J. L., 142 (r), 340 (r), 505 (r)
Tessaglia-Hymes, D. L., 577–586
Tessier, G. D., 344 (r)
Thitje, W. D., 672–673 (r)
Tidemann, C. R., 137 (r)
Titus, R. C., 664 (r)
Tobias, J., 136 (r), 494–495 (r)
Todd, L. D., 663 (r)
Towns, D. R., 346 (r)
Travaini, A., 500–501 (r)
Tveraa, T., 133 (r)
Twedt, D. J., 450–456
Tyack, A. J., 661 (r)
Tzilkowski, W. M., 474–485
Urban, E. K., 348–349 (r)
Usgaard, R. E., 673 (r)
Vallet, E., 664 (r)
Verboven, N., 504 (r)
Verheyen, G. R., 499 (r)
Vickery, P. D., 51–54
Vierling, K. T., 376–379
Viitala, J., 337 (r)
Villard, P., 415–418
Villarino, A., 499 (r)
Viñuela, J., 269–275
Virtanen, J., 133 (r)
Von Helmut, W., 505 (r)
Wagner, M., 505 (r), 664 (r)
Walls, S. S., 661 (r)
Walters, J. R., 497 (r)
Wanless, S., 498 (r)
Wassenaar, L. I., 135–136 (r)
Waterhouse, R. D., 140 (r)
Wauer, R. H., 351 (r)
Waugh, S. M., 340 (r)
Weatherhead, P. J., 133–134 (r), 496 (r)
Weber, T. P., 667 (r)
Welcher, B., 662 (r)
Welling, P., 129 (r)
Wells, J. A., 338 (r)
Wells, J. B., 577–586
Wendeln, H., 496–497 (r)
Werner, I., 497 (r)
West, J., 493 (r)
Westlake, C., 491–492 (r)
Wiedenfeld, D. A., 450–456
Wilde, J., 663 (r)
Wilkie, S. E., 345 (r)
Wilson, W. H., Jr., 540–548
Winkel, W., 595–602
Winker, K., 635–643
Wood, P. B., 498–499 (r)
Woodworth, B. L., 1–7
Wortman-Wunder, E., 667–668 (r)
Yezerinac, S. M., 496 (r)
Yom-Tov, Y., 169–179
Yosef, R., 666–667 (r)
Zierzow, R. E., 540–548
Zwank, P. J., 140–141 (r)

J. Field Ornithol., 69(4):680–681

Subject/Geographic Index

The subject/geographic index includes entries for states, provinces of Canada, countries other than the United States and Canada, and some specific localities; entries under the same headings used to categorize reviews; a few additional headings that reflect specific topics (e.g., techniques). As reviews are arranged by subject and cross-referenced only within the review section of the Journal, they are indexed by geographic location only.

Africa, 348–350 (r)
Alabama, 123, 316–325, 357, 359–363, 486–490
Alaska, 135 (r), 235–243, 300, 327, 626–634
Alberta, 333
Antarctica, 149–159, 269–275
  South Shetlands, 269–275, 663–664 (r)
Argentina, 117–120, 500 (r)
Arizona, 18–29, 160, 162, 165, 500 (r)
Arkansas, 45–50, 123, 316–325
Australia, 135 (r), 137 (r), 140 (r), 169–179, 336–338 (r), 499–500 (r), 661–662 (r), 665 (r)
Austria, 504 (r), 668 (r)
Azores, 419–429
Bahamas, 402–414, 415
banding programs, 511–529
behavior, 376–379
  energy budgets, 75–84
  foraging, 75–84, 121–127, 257–261
  kleptoparasitism, 55–57
  singing, 85–94
  territorial, 30–36
bird communities, 402–414
Bolivia, 457
Brazil, 31, 58–65
breeding biology, 37–44, 58–65, 160–168, 228–234, 235–243, 299–305, 391–401
  brood parasites, 364–375
  determining clutch size, 587–594
  discrimination of eggs, 647–653
  effect of brood size on growth, 269–275
  fertility in orphan eggs, 117–120
  habitat, 45–50, 299–305, 474–485, 626–634
  habitat disturbance, 614–625
  nest attendance, 95–102
British Colombia, 342 (r), 626, 631–632
California, 95–102, 114, 283, 285, 614–625, 632, 673 (r)
Canada, 300, 386–390
Central America, 31
Colombia, 457–465
Colorado, 75–84, 376–379, 386–390, 492–493 (r), 667–668 (r)
Connecticut, 577–586
Costa Rica, 201–208, 457
Cuba, 415
Delaware, 577–586
diet
  composition, 415–418, 419–429
  estimating prey availability, 201–208
dispersal
  breeding, 1–7
  natal, 1–7
District of Columbia, 577–586
Dominican republic, 415
field techniques
  aging, 654–660
  artificial nests, 180–191
  banding, 530–535, 536–539
  capture and handling, 276–287
  censusing, 430–443, 450–456, 577–586, 635–643
  effect of blood sampling, 595–602
  estimating origin, 262–263
  estimating density, 209–222, 244–256
  estimating prey availability, 201–208
  estimating reproductive success, 244–256
  event recorders, 549–556
  preservation techniques (eggs), 223–227
  radar tracking, 316–325
  sexing, 654–660
  transponders, 149–159
  trapping, 380–385
  video surveillance, 549–556
Finland, 133 (r), 240
Florida, 51–54, 123, 141 (r), 160, 209–222, 498–499 (r), 663 (r), 670 (r)
foraging, 603–613
France, 666 (r), 668–669 (r)
Georgia, 48, 123, 295, 306–315, 316–325, 670 (r)
Germany, 496–497 (r), 595–602, 661 (r)
Great Britain, 665 (r)
Guatemala, 136 (r)
habitat indices, 288–298
  selection, 457–465, 540–548
Hawaii, 140 (r), 347 (r), 654–660
Hispaniola, 415
home range, 45–50
homing ability, 444–449
Hungary, 339 (r)
Iberian Peninsula, 672 (r)
Idaho, 244–256, 326–335

Illinois, 71–74, 141 (r)
Indonesia, 129 (r)
Iowa, 262–268
Israel, 661 (r), 666 (r)
Italy, 669 (r)
Jamaica, 125, 415
Japan, 491 (r)
Kansas, 139 (r), 265, 303
Kentucky, 85–94, 316–325
Kenya, 131 (r), 493 (r)
kleptoparasitism, 55–57
lifespan, 169–179
Louisiana, 121, 123, 141 (r), 262–268, 276–287, 316–325
Maine, 131 (r), 137–138 (r), 540–548, 577–586, 603–613
Manitoba, 240, 530–535
Maryland, 466–473, 577–586
Massachusetts, 233, 577–586
Mexico, 31, 141 (r), 285, 300, 386–390, 635–643
  Baja, 130–131 (r), 160–168, 626
migration, 306–315
Minnesota, 295, 673 (r)
Mississippi, 123, 316–325
Missouri, 265, 299–305
molt, 103–108
Montana, 180–191, 326–335, 391–401
morphometric variation, 18–29
mortality
  sources of, 8–17
Nebraska, 303
nest
  artificial, 180–191
  boxes, diseases, 71–74
  habitat, 109–116, 299–305, 563–576
  predation, 563–576
  relocation, 644–646
Nevada, 138 (r)
Newfoundland, 130 (r)
New England, 295
New Hampshire, 577–586
New Jersey, 577–586
New South Wales, 501–502 (r)
New York, 577–586
  Long Island, 233
New Zealand, 346–347 (r)
North America, 31, 419, 426, 428
North Carolina, 123, 143–144 (r), 316–325, 497 (r)
North Dakota, 303
Norway, 133 (r), 338–339 (r)
Northwest Territories, 647–653
Oklahoma, 262–268, 316–325, 337
Ontario, 133–134 (r), 295, 344 (r), 444–449
Oregon, 114, 257–261, 430–443, 501 (r), 587–594
Panama, 30–36, 134 (r), 142 (r)
Pennsylvania, 288–298, 474–485, 577–586
Peru, 31, 37–44, 457
plumage, 326–336, 353–363
population biology, 51–54, 192–200, 228–234, 386–390, 557–562
Portugal, 505 (r)
Puerto Rico, 1–7, 415, 557–562
radiotransmitters
  capture and handling effects, 276–287
  effects of, 306–315
Rhode Island, 228–234, 577–586
Saskatchewan, 223–227, 663 (r)
Scotland, 498 (r)
Siberia, 339–340 (r)
site fidelity, 486–490
South America, 295
South Carolina, 48, 123, 316–325, 492–494 (r), 670 (r)
Spain, 8–17, 142 (r), 380–385, 499 (r), 563–576, 671 (r)
Sweden, 103–108, 136 (r), 138 (r)
Switzerland, 495 (r)
techniques
  estimating origins using isotopes, 262–268
  quantifying plumage coloration, 353–363
  restraints, 66–70
Tennessee, 450–456
Texas, 136–137 (r), 140–141 (r), 160, 162, 165–166, 262–268, 295, 316–325, 536–539, 672–673 (r)
transmitters, 306–315
United States, 386–390
Utah, 192–200
Vermont, 577–586
Virginia, 55–57, 121–127, 577–586
Virgin Islands, 557–562
Washington, 114, 587–594, 631
West Indies, 295, 350 (r)
West Virginia, 123, 577–586
Wisconsin, 665 (r)
Wyoming, 109–116, 326–335

Taxonomic Index

The following taxonomic index includes entries for common and scientific names of birds given in papers, notes and reviews.

Acanthiza chrysorrhea, 364–375
A. lineata, 169–179
A. pusilla, 169–179
Acanthorhynchus tenuirostris, 169–179, 502 (r)
Accipiter brevipes, 666–667 (r)
A. gentilis, 138 (r)
A. striatus, 635–643
Acrocephalus arundinaceus, 5, 341 (r)
A. palustris, 668 (r)
A. schoenobaenus, 132 (r)
Aechmophorus clarkii, 138 (r)
A. occidentalis, 138 (r)
Aegolius funereus, 337 (r)
Agelais phoeniceus, 133–134 (r), 322, 436–443, 447, 673 (r)
Aimophila aestivalis, 45–50
Akohekohe, see *Palmeria dolei*
Albatross
  Northern Royal, see *Diomedea epomophora sanfordi*
  Southern Royal, see *Diomedea epomophora epomophora*
  Wandering, see *Diomedea eluxans*
Alca torda, 505 (r)
Amazilia fimbriata, 260
Ammodramus henslowii, 486–490
A. savannarum, 340 (r)
A. savannarum floridanus, 51–54
A. savannarum pratensis, 52
Amphispiza bilineata, 614–625
Anas acuta, 276–287
A. clypeata, 672–673 (r)
A. fulvigula, 506 (r)
A. platyrhynchos, 13, 282, 284, 533–534, 662–663 (r), 673 (r)
A. rubripes, 284
A. spp., 12–13
Ani
  Smooth-billed, see *Crotophaga ani*
Anser anser, 662 (r)
Antbird
  Bananal, see *Cercomacra ferdinandi*
  Belem, see *Cercomacra lateo*
  Black, see *Cercomacra serva*
  Blackish, see *Cercomacra nigrescens*
  Dusky, see *Cercomacra tynannina*
  Gray, see *Cercomacra cinerascens*
  Jet, see *Cercomacra nigracans*
  Manu, see *Cercomacra manu*
  Mato Grosso, see *Cercomacra melanaria*
  Rio Bronco, see *Cercomacra carbonaria*
  Rio de Janeiro, see *Cercomacra brasiliana*
Anthochaera carunculata, 502 (r)
A. chrysoptera, 502 (r)
Anthus pratensis, 364–375, 496 (r)
A. petrosus, 130 (r), 336 (r)
A. rubescens, 507 (r)
A. spinoletta, 507 (r)
Antshrike
  Slaty, see *Thamnophilus punctatus*
Apapane, see *Himatione sanguinea*
Aphelocoma californica, 508 (r)
A. ultramarina, 18–29
A. u. arizonae, 28–29
Aptenodytes forsteri, 154
A. patagonicus, 150
Aquila chrysaetos, 332–333
A. heliaca, 332
Archilochus alexandri, 260
Ardea herodias, 141 (r)
A. purpurea, 669 (r)
Ardeola ibis, 13, 130–131 (r), 499–500 (r), 669 (r)
Asio flammeus, 244–256, 442, 558, 560
Auriparus flaviceps, 616
Avocet, see *Recurvirostra avosetta*
Aythya americana, 140–141 (r)
Baeolophus bicolor, 577–586
Bananaquit, see *Coerba flaveola*
Bias musicus, 349 (r)
Bittern
  Least, see *Ixobrychus exilis*
Blackbird, see *Turdus merula*
  Brewer's, see *Euphagus cyanocephalus*
  Red-winged, see *Agelaius phoeniceus*
  Yellow-headed, see *Xanthocephalus xanthocephalus*
Blackcap, see *Sylvia atricapilla*
Bluebird
  Eastern, see *Sialia sialis*
  Mountain, see *Sialia currucoides*
  Western, see *Sialia mexicana*
Bobwhite
  Northern, see *Colinus virginianus*
Bombycilla cedrorum, 544, 635–643
Bonasa umbellus, 474–485
Bowerbird
  Satin, see *Ptilonorhynchus violaceus*
Brachyramphus marmoratum, 672 (r)

Branta canadensis, 136–137 (r), 341 (r), 600
B. leucopsis, 63
Bubo bubo, 340 (r)
B. virginianus, 139 (r)
Bubulcus ibis, see *Ardeola ibis*
Bucephala clangula, 133 (r)
Budgeigar, see *Melopsittacus undulatus*
Bunting
Corn, see *Emberiza calandra*
Indigo, see *Passerina cyanea*
Reed, see *Emberiza choeniclus*
Snow, see *Plectrophenax nivalis*
Burrhinus oedicnemus, 13
Bustard
Great, see *Otis tarda*
Little, see *Otis tetrax*
Buteo brachyurus, 506 (r)
B. buteo, 661 (r), 666–667 (r)
B. jamaicensis, 285
Buteo regalis, 244–256, 492–493 (r)
B. swainsoni, 67
Butorides striatus, 405
Buzzard
Common, see *Buteo buteo*
Steppe, see *Buteo buteo*
Cacomantis flabelliformis, 364–375
C. variolosus, 364–375
Calamanthus fuliginosus, 364–375
Calamanthus
Striated, see *Calamanthus fuliginosus*
Calcarius laponicus, 339–340 (r)
Calidris alpina, 235, 240
C. fuscicollis, 240
C. mauri, 235–243
C. minutilla, 240
C. pusilla, 235–243
C. spp., 13, 259
C. temminckii, 240
Callipepla gambelii, 614–625
Calliphlox evelynae, 406, 410
Calypte anna, 260
C. costae, 260, 616
Campylorhyncus brunneicapillus, 614–625
C. nuchalis, 502 (r)
Canary, see *Serinus canaria*
Caracara
Crested, see *Caracara plancus*
Caracara plancus, 60, 160–168
Cardinal
Northern, see *Cardinalis cardinalis*
Cardinalis cardinalis, 131–132 (r), 364–375, 504 (r), 577–586, 665 (4)
Carduelis chloris, 664 (r)
C. pinus, 259, 443
C. tristis, 544
Carpodacus cassinii, 436–443
C. mexicanus, 353–363, 614–625
C. purpureus, 544
Catbird
Gray, see *Dumetella carolinensis*
Cathartes aura, 536–539, 635–643
Catharus guttata, 544
C. ustulatus, 136 (r), 313, 442, 635–643
Catharacta lonnbergi, 271
C. skua, 491 (r)
Catherpes mexicanus, 614–625
Celeus brachyurus, 39
C. castaneus, 39
C. elegans, 39
C. flavescens, 39
C. loricatus, 39
C. lugubris, 39
C. spectabilis, 37–44
C. torquatus, 39
C. undatus, 39
Centropus grillii, 364–475
Cercomacra brasiliana, 42
C. carbonaria, 42
C. cinerascens, 42
C. ferdinandi, 42
C. latea, 41–42
C. manu, 37–44
C. melananaria, 42
C. nigrescens, 42
C. nigricans, 40–42
C. serva, 42
C. tyrannina, 40–42
Ceryle alcyon, 75–84, 386–387
Charadrius hiaticula, 241
C. melodus, 228–234
C. montanus, 187
Chat
Yellow-breasted, see *Icteria virens*
Chen caerulescens caerulescens, 63, 262–268, 647–653
Chen rossii, 647–653
Chickadee
Boreal, see *Parus hudsonicus*
Black-capped, see *Poecile atricapillus*
Chicken, see *Gallus gallus*
Chiffchaff, see *Phylloscopus collybita*
Chlidonia niger, 13–14
Chordeiles minor, 442, 663 (r)
Chough, see *Pyrrhocorax pyrrhocorax*
White-winged, see *Corcorax melanorhamphos*
Chrysococcyx caprius, 364–375
C. cupreus, 364–375
C. klaas, 364–375
C. lucidus, 364–375
Ciconia ciconia, 9, 13
Cinclus cinclus, 495 (r)
Circus cyaneus, 244–256, 285
Cisticola

Dorst's, see *Cisticola dorsti*
Cisticola dorsti, 349 (r)
Clamator glandarius, 364–375
Climacterus rufa, 128 (r)
Coccyzus erythropthalmus, 364–375
C. minor, 406
C. pumilus, 364–375
Coerba flaveola, 402–414
Colaptus auratus, 378, 436–442
Colinus virginianus, 139 (r)
Colluricinda harmonica, 169–179
Columba livia, 73, 345 (r), 444, 500 (r)
C. palumbus, 13, 668 (r)
Columbina passerina, 406, 408
Contopus cinereus, 204–208
C. sordidulus, 442
Coot
Eurasian, see *Fulicula atra*
Coragyps atratus, 536–539
Corcorax melanorhamphos, 497–498 (r), 661–662 (r)
Cormorant
Double-crested, see *Phalacrocorax auritus*
Corvus brachyrhynchos, 188, 442
C. corax, 13, 68, 135 (r), 442, 616, 632
C. corone, 132 (r)
Coturnix coturnix, 182, 224, 668 (r)
Cowbird
Bay-winged, see *Molothrus badius*
Brown-headed, see *Molothrus ater*
Bronzed, see *Molothrus aeneus*
Screaming, see *Molothrus rufoaxillaris*
Shiny, see *Molothrus bonariensis*
Crane
Common, see *Grus grus*
Greater Sandhill, see *Grus canadensis*
Crotophaga ani, 406, 410
Crow
American, see *Corvus brachyrhynchos*
Carrion, see *Corvus corone*
Cuckoo
African Emerald, see *Chrysococcyx cupreus*
Asian Koel, see *Eudynamys scolopacea*
Black, see *Centropus grillii*
Black-billed, see *Coccyzus erythropthalmus*
Brush, see *Cacomantis variolosus*
Channel-billed, see *Scythrops novaehollandiae*
Common, see *Cuculus canorus*
Dideric, see *Chrysococcyx caprius*
Dwarf, see *Coccyzus pumilus*
Fan-tailed, see *Cacomantis flabelliformis*
Great-spotted, see *Clamator glandarius*
Guira, see *Guira guira*
Klaas's, see *Chrysococcyx klaas*
Long-tailed Koel, see *Eudynamys taitensis*
Mangrove, see *Coccyzus minor*
Pallid, see *Cuculus pallidus*
Pied, see *Oxylophus jacobinus*
Red-chested, see *Cuculus solitarius*
Shining-bronze, see *Chrysococcyx lucidus*
Thick-billed, see *Pachycoccyx audeberti*
Cuculus canorus, 364–375, 491 (r)
C. pallidus, 364–375
C. solitarius, 364–375
Curlew
Eurasian, see *Numenius arquata*
Long-billed, see *Numenius americanus*
Stone, see *Burrhinus oedicnemus*
Currawong
Pied, see *Strepera graculina*
Cyanocittta cristata, 209–222
Cygnus olor, 231
Dendrocopus leucotos, 338–339 (r)
D. major, 673–674 (r)
Dendroica caerulescens, 30, 406–408, 410, 486, 506 (r)
D. coronata, 406, 410
D. discolor, 5, 403, 406–408
D. dominica, 406–407, 410
D. fusca, 457–463
D. kirtlandii, 313
D. magnolia, 635–643
D. palmarum, 406, 540–548
D. p. hypochrysea, 540–548
D. petichia, 30–36, 134–135 (r), 364–375, 406, 408, 435–443, 496 (r), 635–643
D. pityophila, 350 (r)
D. occidentalis, 587–594
D. tigrina, 403, 406–407
D. townsendi, 587–594
D. virens, 635–643
Dipper, see *Cinclus cinclus*
Diomedea eluxans, 340 (r)
D. epomophora epomophora, 340 (r)
Dove
Mourning, see *Zenaida macroura*
Rock, see *Columba livia*
Zenaida, see *Zenaida aurita*
Dromas ardeola, 131 (r)
Dryocopus martius, 674 (r)
Duck
Mottled, see *Anas fulvigula*
Ruddy, see *Oxyura jamaicensis*
Dumetella carolinensis, 136 (r), 338 (r), 406, 635–643
Dunlin, see *Calidris alpina*
Dunnock, see *Prunella modularis*
Eagle
Bald, see *Haliaeetus leucocephalus*
Golden, see *Aquila chrysaetos*
Imperial, see *Aquila heliaca*
Eagle-buzzard
Grey, see *Geranoaetus melanoleucus*

Egret
Cattle, see *Ardeola ibis*
Little, see *Egretta garzetta*
Egretta garzetta, 669 (r)
Eiders
Common, see *Somateria mollissima*
King, see *Somateria spectabilis*
Emberiza calandra, 13
E. choeniclus, 668 (r)
E. citrinella, 668 (r)
Emblema temporalis, 169–179
Empidonax flaviventris, 635–643
E. minimus, 136 (r), 635–643
E. occidentalis, 442
E. olberhoseri, 436–442
E. spp., 442
E. traillii, 506 (r)
Entomyzon cyanotis, 337 (r)
Eopsaltria australis, 169–179
Eremophilia alpestris, 187, 339–340 (r), 442
Erithacus rubecula, 13, 136 (r), 494–495 (r)
Eudocimus albus, 493–494 (r), 670 (r)
Eudynamys scolopacea, 364–375
E. taitensis, 364–375
Eudyptes schlegeli, 150
Eudyptula minor, 150, 153–154
Euphagus cyanocephalus, 436–443
Fairy-wren
Superb, see *Malurus cyaneus*
Falcon
Lesser, see *Falco naumanm*
Peregrine, see *Falco peregrinus*
Falco naumanni, 340 (r), 666 (r)
F. peregrinus, 67, 285
F. sparverius, 405, 635–643, 673 (r)
F. tinnunculus, 13, 337 (r)
Fantail
Grey, see *Rhipidura fuliginosa*
Ficedula albicollis, 444
F. hypoleuca, 71, 494 (r), 503–504 (r), 666 (r)
Figbird, see *Sphecotheres viridis*
Finch
Cassin's, see *Carpodacus cassinii*
House, see *Carpodacus mexicanus*
Purple, see *Carpodacus purpureus*
Firecrest, see *Regulus ignicapillus*
Firetail, see *Emblema temporalis*
Finch
Zebra, see *Taeniopygia guttata*
Fish Eagle
African, see *Haliaeetus vocifer*
Flamingo
Greater, see *Phoenicopterus ruber*
Flicker
Northern, see *Colaptes auratus*
Flycatcher
Black and White, see *Bias musicus*
Collared, see *Ficedula albicollis*
Cordilleran, see *Empidonax occidentalis*
Dusky, see *Empidonax olberholseri*
Least, see *Empidonax minimus*
Gray-capped, see *Myiozetetes granadensis*
Pied, see *Ficedula hypoleuca*
Scissor-tailed, see *Tyrannus forficatus*
Sharp-billed, see *Pipromorpha oleaginea*
Social, see *Myiozetetes similis*
Yellow-bellied, see *Empidonax flaviventris*
Fratercula artica, 133 (r)
Fregetta tropica, 663–664 (r)
Friarbird
Little, see *Philemon citreogularis*
Noisy, see *Philemon corniculatus*
Silver-crowned, see *Philemon argenticeps*
Fulicula atra, 13
Gallinago gallinago, 442
Galinla chlorops, 13
Gallus gallus, 345 (r)
G. g. domesticus, 662 (r)
Gannet, see *Morus bassanus*
Garrulus glandarius, 138 (r)
Geococcyx californianus, 83
Geothlypis trichas, 364–375, 406–408, 410, 540–548, 635–643
Geranoaetus melanoleucus, 500–501 (r)
Gerygone
Grey, see *Gerygone igata*
Gerygone igata, 364–375
Gnatcatcher
Black-tailed, see *Polioptila melanura*
Blue-gray, see *Polioptila caerulea*
California, see *Polioptila californica*
Godwit
Black-tailed, see *Limosa limosa*
Goldeneye
Common, see *Bucephala clangula*
Goldfinch
American, see *Carduelis tristis*
Goose
Barnacle, see *Branta leucopsis*
Canada, see *Branta canadensis*
Greylag, see *Anser anser*
Lesser Snow, see *Chen caerulescens caerulescens*
Ross's, see *Chen rossii*
Goshawk
Northern, see *Accipiter gentilis*
Grackle
Carib, see *Quiscalus lugubris*
Grassquit
Black-faced, see *Tiaris bicolor*
Grebe
Clark, see *Aechmophorus clarkii*
Little, see *Tachybaptus ruficollis*
Western, see *Aechmophorus occidentalis*

Greenshank
Common, see *Tringa nebularia*
Grosbeak
Black-headed, see *Pheucticus melanocephalus*
Rose-breasted, see *Pheucticus ludovicianus*
Ground-Dove
Common, see *Columbina passerina*
Grouse
Black, see *Tetrao tetrix*
Grus. canadensis, 241
G. grus, 9, 12–13
Guira guira, 502 (r)
Gull
Black-headed, see *Larus ridibundus*
Glaucous, see *Larus hyperboreus*
Glaucous-winged, see *Larus glaucescens*
Lesser Black-backed, see *Larus fuscus*
Mediterranean, see *Larus melanocephalus*
Ring-billed, see *Larus delawarensis*
Slender-billed, see *Larus genei*
Yellow-legged, see *Larus cachinnans*
Yellow-legged Herring, see *Larus cachinnans atlantis*
Gymnorhina tibicen, 169–179
Haematopus bachmani, 626–634
H. palliatus, 231–232
Haliaeetus leucocephalus, 326–335, 498–499 (r)
H. vocifer, 493 (r)
Harrier
Northern, see *Circus cyaneus*
Hawk
Ferruginous, see *Buteo regalis*
Red-tailed, see *Buteo jamaicensis*
Sharp-shinned, see *Accipiter striatus*
Short-tailed, see *Buteo brachyurus*
Swainson's, see *Buteo swainsoni*
Helmitheros vermivorous, 35, 55–57, 136 (r), 406–408, 410, 635–643
Heron
Great Blue, see *Ardea herodias*
Green, see *Butorides striatus*
Purple, see *Ardea purpurea*
Himantopus himantopus, 13
Himatione sanguinea, 658
Hirundo pyrrhonota, 71, 442
H. rustica, 71, 445
Honeyeater
Blue-faced, see *Entomyzon cyanotis*
Brown, see *Lichmera indistincta*
Dusky, see *Myzomela obscura*
New Holland, see *Phylidonyris novaehollandiae*
White-naped, see *Melithreptus lunatus*
White-plumed, see *Lichenostomus penicillata*
Yellow-faced, see *Lichenostomus chrysops*
Honeyguide
Greater, see *Indicator indicator*
Hornbill
North Salawesi Tarictic, see *Penelopides exarhatus exarhatus*
Hummingbird
Allen's, see *Selasporus sasin*
Anna's, see *Calypte anna*
Black-chinned, see *Archilochus alexandri*
Blue-throated, see *Lampornis clemenciae*
Broad-tailed, see *Selasphorus rufus*
Costa's, see *Calypte costae*
Lesson's Emerald, see *Amazilia fibriata*
Rufous, see *Selasphorus rufus*
Hylocichla mustelina, 35, 136 (r), 306–315, 444, 635–643
Ibis
White, see *Eudocimus albus*
Icteria virens, 635–643
Icterus bullocki, 436–443
I. galbula, 635–643
I. spurius, 34
Iiwi, see *Vestiaria coccinea*
Indicator indicator, 364–375
Ixobrychus exilis, 472
Ixoreus naevius, 584
Jay, see *Garrulus glandarius*
Blue, see *Cyanocitta cristata*
Mexican, see *Aphelocoma ultramarina*
Junco
Dark-eyed, see *Junco hyemalis*
Junco hyemalis, 107, 664 (r)
Jynx torquilla, 674 (r)
Kestrel, see *Falco tinnunculus*
American, see *Falco sparverius*
Lesser, see *Falco naumanni*
Kingbird
Eastern, see *Tyrannus tyrannus*
Tropical, see *Tyrannus melancholicus*
Western, see *Tyrannus verticalis*
Kingfisher
Belted, see *Ceryle alcyon*
Kinglet
Golden-crowned, see *Regulus satrapa*
Kiskadee
Great, see *Philohydor lictor*
Kite
Snail, see *Rostrhamus sociabilis*
Lampornis clemenciae, 260
Lanius collurio, 668 (r)
Lapwing, see *Vanellus vanellus*
Lark
Horned, see *Eremophila alpestris*
Larus atricilla, 128 (r)
L. cachinnans, 505 (r), 668–669 (r)
L. cachinnans atlantis, 426

L. delawarensis, 344 (r), 495 (r)
L. fuscus, 505 (r), 665
L. genei, 668–669 (r)
L. glaucescens, 632
L. hyperboreus, 135 (r)
L. melanocephalus, 668–669 (r)
L. ridibundus, 13, 491–492 (r), 668–669 (r)
L. spp., 231
Lichmera indistincta, 128 (r), 169–179
Lichenostomus chrysops, 169–179, 502 (r)
L. penicillata, 364–375
Limnothypis swainsonii, 121–127
Limosa limosa, 339 (r)
Locustella luscinoides, 668 (r)
Longspur
Lapland, see *Calcarius laponicus*
Lorikeet
Rainbow, see *Trichoglossus haematodus*
Loxioides bailleui, 347 (r)
Magpie
Australian, see *Gymnorhina tibicen*
Black-billed, see *Pica pica*
Mallard, see *Anas platyrhynchos*
Malurus cyaneus, 169–179
Manorina flavigula, 337 (r)
Margarops fuscatus, 406
Martin
Purple, see *Progne subis*
Meadowlark
Eastern, see *Sturnella magna*
Western, see *Sturnella neglecta*
Megadyptes antipodes, 273
Melanerpes carolinus, 376, 378, 577–586
M. erythrocephalus, 376, 378
M. formicivorus, 376, 502 (r)
M. herminieri, 415–418
M. lewis, 109–116, 376–379
M. portoricensis, 417
M. radiolatus, 415, 417
M. striatus, 415
M. superciliaris, 406, 415, 417
M. uropygialis, 376, 506 (r)
Meleagris gallopavo, 259
Melithreptus lunatus, 169–179
Melospiza lincolnii, 544, 635–643, 667–668 (r)
M. georgiana, 472
M. melodia, 134–135 (r), 436–443, 472, 540–548
Melopsittacus undulatus, 344 (r)
Mimus gundlachii, 406, 410
M. polyglottos, 406, 614–625
Miner
Yellow-throated, see *Manorina flavigula*
Mniotilta varia, 55–57, 406–408, 410–411
Mockingbird
Bahama, see *Mimus gundlachii*
Northern, see *Mimus polyglottos*
Molothrus aeneus, 364–375
M. ater, 134–135 (r), 138–139 (r), 340 (r), 364–375, 436–443, 491 (r)
M. bonariensis, 2, 364–375
M. rufoaxillaris, 364–375
Moorhen
Common, see *Gallinula chloropus*
Morus bassanus, 505 (r)
Murre
Common, see *Uria aalge*
Thick-billed, see *Uria lomvia*
Murrelet
Asiatic Marbled, see *Brachyramphus marmoratus perdix*
Kittlitz's, see *Brachyramphus brevirostris*
North American Marbled, see *Brachyramphus marmoratus marmoratus*
Mycteria americana, 670 (r)
Myiopsitta monachus, 666 (r)
Myiozetetes granadensis, 204–208
M. similis, 204–208
Myzomela obscura, 337 (r)
Nighthawk
Common, see *Chordeiles minor*
Ninox novaeseelandiae, 346 (r)
Notimystis cincta, 347 (r)
Nucifraga columbiana, 494 (r)
Numenius americanus, 240
N. arquata, 240
Nutcracker
Clark's, see *Nucifraga columbiana*
Nuthatch
White-breasted, see *Sitta carolinensis*
Nyctea scandiaca, 143 (r)
Oporornis formosus, 30, 35, 635–643
O. tolmiei, 443
Oreoscoptes montanus, 187, 442
Oriole
Baltimore, see *Icterus galbula*
Bullock's, see *Icterus bullocki*
Orchard, see *Icterus spurius*
Osprey, see *Pandion haliaetus*
Otis tarda, 8–17
O. tetrax, 8–17
Otus asio, 500 (r), 559
O. kennicottii, 500 (r)
O. nudipes newtoni, 557–562
O. n. nudipes, 557–562
Ovenbird, see *Seiurus aurocapillus*
Owl
Barn, see *Tyto alba*
Burrowing, see *Speotyto cunicularia*
Eastern Screech, see *Otus asio*
Great-horned, see *Bubo virginianus*
Eagle, see *Bubo bubo*
Short-eared, see *Asio flammeus*

Snowy, see *Nyctea scandiaca*
Tengmalm's, see *Aegolius funereus*
Virgin Island's Screech, see *Otus nudipes newsstoni*
Western Screech, see *Otus kennicottii*
Oxylophis jacobinus, 364–375
Oxyura jamaicensis, 530–535, 673 (r)
Oystercatcher
American, see *Haemotopus palliatus*
Pachycephala pectoralis, 169–179
Pachycoccyx audeberti, 364–375
Palila, see *Loxioides bailleui*
Palmeria dolei, 644–646, 654–660
Pandion haliaetus, 231
Parakeet
Monk, see *Myiopsitta monachus*
Parrot
Kakapo, see *Strigops habroptilus*
Parrotbill
Maui, see *Pseudonestor xanthrophrys*
Partridge, see *Perdix perdix*
Parula
Northern, see *Parula americana*
Parula americana, 406–407, 635–643
Parus ater, 485 (r), 668 (r)
P. bicolor, 85–94
P. caeruleus, 499 (r)
P. hudsonicus, 259
P. major, 178, 497 (r), 504 (r)
P. montanus, 128 (r)
Passer domesticus, 13, 55, 73, 364–375, 577–586
Passerculus sandwichensis, 436–443
Passerella iliaca, 443
Passerina cyanea, 5, 55–57, 406, 408, 410, 635–643
Pelecanoides urinatrix, 346–347 (r)
Penelopides exarhatus exarhatus, 129 (r)
Penguin
Adélie, see *Pygoscelis adeliae*
Chinstrap, see *Pygoscelis antarctica*
Emperor, see *Aptenodytes forsteri*
Galapagos, see *Spheniscus mendiculus*
Gentoo, see *Pygoscelis papua*
King, see *Aptenodytes patagonicus*
Little, see *Eudyptula minor*
Magellanic, see *Spheniscus magellanicus*
Royal, see *Eudyptes schlegeli*
Yellow-eyed, see *Megadyptes antipodes*
Perdix perdix, 668 (r)
Petrochia australis longipes, 346 (r)
P. macrophela toitoi, 346 (r)
Pewee
Tropical, see *Contopus cinereus*
Petrel
Bonin, see *Pterodroma hypoleuca*
Diving, see *Pelecanoides urinatrix*
Phainopepla, see *Phainopepla nitens*
Phainopepla nitens, 614–625
Phalacrocorax auritus, 131 (r), 137 (r)
Phalarope
Red, see *Phalaropus fulicaria*
Red-necked, see *Phalaropus lobatus*
Wilson's, see *Phalaropus tricolor*
Phalaropus fulicaria, 235, 240
P. lobatus, 241, 600
P. tricolor, 442
Pheuticus ludoviciana, 635–645
P. melanocephalus, 443
Philemon argenticeps, 337 (r)
P. citreogularis, 337 (r)
P. corniculatus, 502 (r)
Philohydor lictor, 34
Phoebe
Black, see *Sayornis nigricans*
Phoenicopterus ruber, 10, 13, 669–670 (r)
Phylidonyris novaehollandiae, 128 (r), 169–179, 501–502 (r)
Phylloscopus spp., 13
P. collybita, 668 (r)
P. trochilus, 103–108
Pica pica, 364–375
Picoides borealis, 259, 338–339 (r), 492 (r), 497 (r), 663 (r)
P. leucotos, 674 (r)
P. medius, 674 (r)
P. minor, 674 (r)
P. pubescens, 442, 577–586
P. syriacus, 674 (r)
P. tridactylus, 674 (r)
P. villosus, 378, 442, 577–586
Picus canus, 674 (r)
P. viridis, 674 (r)
Pigeon
Homing, see *Columba livia*
Pintail
Northern, see *Anas acuta*
Pipilo chlorurus, 443
P. crissalis, 614–625
P. erythrophthalmus, 544
P. maculatus, 501 (r)
Pipit
American, see *Anthus rubescens*
Buff-bellied, see *Anthus rubescens*
Meadow, see *Anthus pratensis*
Rock, see *Anthus petrosus*
Water, see *Anthus spinoletta*
Pipromorpha oleaginea, 492 (r)
Piranga ludoviciana, 443, 635–643
P. rubra, 313, 635–643
Plectrophenax nivalis, 339–340 (r)
Ploceus cucullatus, 364–375
Plover
Crab, see *Dromas ardeola*

Common Ringed, see *Charadrius hiaticula*
Mountain, see *Charadrius montanus*
Piping, see *Charadrius melodus*
Poecile atricapillus, 577–586, 603–613
P. major, 595–602, 609–610
Polioptila caerulea, 614–625, 635–643
P. californica, 95–102, 614–625
P. melaneura, 614–625
Pooecetus gramineus, 443
Porphyrio porphyrio, 563–576
Porzana carolina, 442, 466–473
Progne subis, 316–325, 445
P. s. hesperia, 318
Prunella modularis, 668 (r)
Pseudonestor xanthrophrys, 644–646
Pterodroma hypoleuca, 140 (r)
Ptilonorhynchus violaceus, 336 (r)
Puffin
Atlantic, see *Fratercula arctica*
Puffinus pacifucus, 665 (r)
Pygoscelis adeliae, 149–159, 273, 493 (r)
P. antarctica, 269–275, 499 (r)
P. papua, 150
Pyrrhocorax pyrrhocorax, 340 (r), 505 (r)
Quail
Gambel's, see *Callipepla gambelii*
Japanese, see *Coturnix coturnix*
Quiscalus lugubris, 342 (r)
Q. quiscula, 322, 673 (r)
Rail
Clapper, see *Rallus longirostris*
Virginia, see *Rallus limicola*
Rallus limicola, 433, 466
Raven
Common, see *Corvus corax*
Razorbill, see *Alca torda*
Recurvirostra avosetta, 668–669 (r)
Redhead, see *Aythya americana*
Redshank
Common, see *Tringa totanus*
Redstart
American, see *Setophaga ruticuilla*
Regulus ignicapillus, 13
R. satrapa, 501 (r)
Remiz pendulinus, 142–143 (r)
Rhea
Greater, see *Rhea americana*
Rhea americana, 58–65, 117–120
Rhipidura fuliginosa, 169–179
Riparia riparia, 445, 499 (r)
Roadrunner
Greater, see *Geococcyx californianus*
Robin
American, see *Turdus migratorius*
Black, see *Petroica traversi*
Eastern Yellow, see *Eopsaltria australis*
European, see *Erithacus rubecula*
North Island, see *Petroica australis longipes*
Rostrhamus sociabilis, 670 (r)
Salpinctes obsoletus, 442, 614–625
Sandpiper
Buff-breasted, see *Tryngites subruficollis*
Least, see *Calidrius minutilla*
Semipalmated, see *Calidris pusilla*
spp. see *Calidris* spp.
Western, see *Calidris mauri*
White-rumped, see *Calidris fuscicollis*
Saxicola rubetra, 668 (r)
S. torquata, 661 (r)
Sayornis nigricans, 600
Scrub-Jay
Western, see *Aphelocoma californica*
Scythrops novaehollandiae, 362–275
Scrub-wren
White-browed, see *Sericornis frontalis*
Seiurus aurocapillus, 136 (r), 406–408, 635–643
S. motacilla, 288–298, 635–643
S. noveboracensis, 30–36, 406–408, 410–411, 486, 544, 635–643
Selasphorus platycercus, 258, 260
S. rufus, 257–261
S. sasin, 260
S. spp., 442
Sericornis frontalis, 169–179, 364–375
Serin, see *Serinus serinus*
Serinus canaria, 664 (r)
S. serinus, 380–385
Setophaga ruticilla, 30, 136 (4), 406–407, 410–411, 486, 635–643
Shearwater
Wedge-tailed, see *Puffinus pacificus*
Shoveler
Northern, see *Anas clypeata*
Shrike
Red-backed, see *Lanius collurio*
Shrike-thrush
Gray, see *Colluricinda harmonica*
Sialia currucoides, 378, 442
S. mexicana, 378
S. sialis, 492 (r)
Silvereye, see *Zosterops lateralis*
Siskin
Pine, see *Carduelis pinus*
Sitta carolinensis, 577–586
Skua, see *Catharacta lonnbergi*
Greater, see *Cathacacta skua*
Snipe
Common, see *Gallinago gallinago*
Somateria mollissima, 533–534, 667 (r)
S. spectabilis, 667 (r)
Sora, see *Porzana carolina*
Sparrow
Bachman's, see *Aimophila aestivalis*

Black-throated, see *Amphisphiza bilineata*
Brewer's, see *Spizella breweri*
Florida Grasshopper, see *Ammodramus savannarum floridanus*
Fox, see *Passerella iliaca*
Grasshopper, see *Ammodramus savannarum*
House, see *Passer domesticus*
Lincoln's, see *Melospiza lincolnii*
Savannah, see *Passerculus sandwichensis*
Song, see *Melospiza melodia*
Swamp, see *Melospiza georgiana*
Vesper, see *Pooecetes gramineus*
White-crowned, see *Zonotrichia leucophrys*
White-throated, see *Zonotrichia albicollis*
Sparrowhawk
Levant, see *Accipiter brevipes*
Speotyto cunicularia, 244–256
Sphecotheres viridis, 135 (r)
Spheniscus magellanicus, 273
S. mendiculus, 273
Spinebill
Eastern, see *Acanthorhynchus tenuirostris*
Spizella breweri, 187, 443
Sporophila americana, 142 (r)
S. aurita, 132 (r)
S. corvina, 142 (r)
S. c. corvina, 142 (r)
S. c. hicksii, 142 (r)
S. intermedia, 142 (r)
S. murallae, 142 (r)
Sphyrapicus nuchalis, 442
Starling
Stercorarius spp., 241
Stelgidopteryx serripennis, 445, 635–643
Sterna albifrons, 668–669 (r)
S. antillarum, 337 (r)
S. antillarum athalassos, 391–401
S. dougallii, 419–429
S. hirundo, 259, 344 (r), 420–421, 426–427, 491–492 (r), 496–497 (r), 505 (r), 664 (r), 668 (r)
S. nilotica, 668–669 (r)
S. paradisaea, 427, 492 (r)
S. sandvicensis, 491–492 (r), 668–669 (r)
Stilt
Black-winged, see *Himantopus himantopus*
Stint
Temminck's, see *Calidris temminckii*
Stitchbird, see *Notimystis cincta*
Stonechat, see *Saxicola torquata*
Stork
White, see *Ciconia ciconia*
Wood, see *Mycteria americana*
Storm-Petrel
Black-bellied, see *Fregetta tropica*
Strepera graculina, 169–179
Sturnella magna, 187, 587–594
S. neglecta, 436–443, 547, 587–594
Sturnus unicolor, 13, 672 (r)
S. vulgaris, 71, 73, 134–135 (r), 341–342 (r), 376–379, 436–442, 672 (r)
Swallow
Bank, see *Riparia riparia*
Barn, see *Hirundo rustico*
Cliff, see *Hirundo pyrrhonota*
Northern Rough-winged, see *Stelgidopteryx serripennis*
Tree, see *Tachycineta bicolor*
Swamphen
Purple, see *Porphyrio porphyrio*
Swan, see *Cygnus*
Mute, see *Cygnus olor*
Sylvia atricapilla, 13, 667–668 (r)
Tachybaptus ruficollis, 670–671 (r)
Tachycineta bicolor, 259, 435–442, 444–449
Taeniopygia guttata, 345 (r)
Tanager
Blue-gray, see *Thraupis episcopus*
Summer, see *Piranga rubra*
Western, see *Piranga ludoviciana*
Tern
Arctic, see *Sterna paradisaea*
Black, see *Chlidonias niger*
Common, see *Sterna hirundo*
Gull-billed, see *Sterna nilotica*
Least, see *Sterna antillarum*
Little, see *Sterna albifrons*
Roseate, see *Sterna dougalli*
Sandwich, see *Sterna sandvicensis*
Tetrao tetrix, 136 (r), 495–496 (r)
Thamnophilus punctatus, 134 (r)
Thraupis episcopus, 34
Thornbill
Brown, see *Acanthiza pusilla*
Striated, see *Acanthiza lineata*
Yellow-rumped, see *Acanthiza chrysorrhoa*
Thrasher
Pearly-eyed, see *Margarops fuscatus*
Sage, see *Oreoscoptes montanus*
Thrush
Hermit, see *Catharus guttata*
Olive, see *Turdus olivaceus*
Swainson's, see *Catharus ustulatus*
Varied, see *Ixoreus naevius*
Wood, see *Hylocichla mustelina*
Thryomanes bewickii, 614–625
Thryothorus ludovicianus, 338 (r), 577–586
Tiaris bicolor, 406
Tit
Great, see *Parus major*, *Poecile major*
Penduline, see *Remiz pendulinus*
Willow, see *Parus montanus*
Titmouse

Tufted, see *Parus bicolor*
Tomtit
North Island, see *Petroica macrocephala toitoi*
Towhee
California, see *Pipilo crissalis*
Eastern, see *Pipilo erythrophthalmus*
Green-tailed, see *Pipilo chlorurus*
Spotted, see *Pipilo maculatus*
Treecreeper
Rufous, see *Climacterus rufa*
Trichoglossus haematodus, 140 (r), 337 (r)
Tricholimnas sylvestris, 347 (r)
Tringa nebularia, 240
T. totanus, 13, 339 (r)
Trogolodytes aedon, 71–74, 91, 259, 436–442
T. troglodytes, 55
Tryngites subruficollis, 600
Turdus merula, 13, 169–179
T. migratorius, 435–442
T. olivaceus, 349 (r)
Turkey, see *Meleagris gallopavo*
Tyrannus forficatus, 492 (r)
T. melancholicus, 204–208
T. tyrannus, 5
T. verticalis, 616
Tyto alba, 143 (r)
Uria aalge, 130 (r), 498 (r)
U. lomvia, 672 (r)
Vanellus vanellus, 9, 12–13, 336–337 (r), 339 (r)
Verdin, 616
Vermivora celata, 443
V. pinus, 635–643
V. peregrina, 34, 136 (r)
V. ruficapilla, 544, 635–643
Vestiaria coccinea, 658
Vireo crassirostris, 402–414
V. flavoviridis, 34
V. gilvus, 435–442
V. griseus, 35, 402–414, 635–643
V. latimeri, 1–7
V. olivaceus, 364–375, 442
V. solitarius, 635–643
Vireo
Puerto Rican, see *Vireo latimeri*
Red-eyed, see *Vireo olivaceus*
Solitary, see *Vireo solitarius*
Thick-billed, see *Vireo crassirostris*
Warbling, see *Vireo gilvus*
White-eyed, see *Vireo griseus*
Yellow-green, see *Vireo flavoviridis*
Vulture
Black, see *Coragyps atratus*
Turkey, see *Cathartes aura*
Warbler
Black-and-White, see *Mniotilta varia*
Blackburnian, see *Dendroica fusca*
Black-throated Blue, see *Dendroica caerulescens*
Black-throated Green, see *Dendroica virens*
Blue-winged, see *Vermivora pinus*
Canada, see *Wilsonia canadensis*
Cape May, see *Dendroica tigrina*
Great Reed, see *Acrocephalus arundinaceus*
Hermit, see *Denroica occidentalis*
Hooded, see *Wilsonia citrina*
Kentucky, see *Oporonis formosus*
Kirtland's, see *Dendroica kirtlandii*
MacGillivray's, see *Oporonis tolmiei*
Magnolia, see *Dendroica magnolia*
Nashville, see *Vermivora ruficapilla*
Olive-capped, see *Dendroica pityophila*
Orange-crowned, see *Vermivora celata*
Palm, see *Dendroica palmarum*
Prairie, see *Dendroica discolor*
Savi's, see *Locustella luscinoides*
Sedge, see *Acrocephalus schoenobaenus*
Swainson's, see *Limnothlypis swainsonii*
Tennessee, see *Vermivora peregrina*
Townsend's, see *Dendroica townsendi*
Willow, see *Phylloscopus trochilus*
Wilson's, see *Wilsonia pusilla*
Worm-eating, see *Helmitheros vermivorous*
Yellow, see *Dendroica petechia*
Yellow-rumped, see *Dendroica coronata*
Yellow-throated, see *Dendroica dominica*
Waterthrush
Louisiana, see *Seiurus motacilla*
Northern, see *Seiurus noveboracensis*
Wattlebird
Little, see *Anthochaera chrysoptera*
Red, see *Anthochaera carunculata*
Waxwing
Cedar, see *Bombycilla cedrorum*
Weaver
Village, see *Ploceus cucullatus*
Whinchat, see *Saxicola ruberta*
Whistler
Golden, see *Pacycephala pectoralis*
Wilsonia canadensis, 544
W. citrina, 30, 136 (r), 635–643
W. pusilla, 35, 443, 635–643
Woodhen
Lord Howe Island, see *Tricholimnas sylvestris*
Woodpecker
Acorn, see *Melanerpes formicivorus*
Black, see *Dryocopus martius*
Blonde-crested, see *Celeus flavescens*
Chestnut, see *Celeus elegans*
Chestnut-colored, see *Celeus casteneus*
Cinnamon, see *Celeus loricatus*
Downy, see *Picoides pubescens*

Guadeloupe, see *Melanerpes herminieri*
Gila, see *Melanerpes uropygialis*
Great Spotted, see *Dendrocopos major*
Green, see *Picus viridus*
Grey-headed, see *Picus canus*
Hairy, see *Picoides villosus*
Hispaniolan, see *Melanerpes striatus*
Jamaican, see *Melanerpes radiolatus*
Lesser Spotted, see *Picoides minor*
Lewis', see *Melanerpes lewis*
Middle-spotted, see *Picoides medius*
Pale-crested, see *Celeus lugubris*
Puerto Rican, see *Melanerpes portoricensis*
Red-bellied, see *Melanerpes carolinus*
Red-cockaded, see *Picoides borealis*
Red-headed, see *Melanerpes erythrocephalus*
Red-naped, see *Sphyracius nuchalis*
Ringed, see *Celeus torquatus*
Rufous, see *Celeus brachyurus*
Rufous-headed, see *Celeus spectabilis*
Syrian, see *Picoides syriacus*
Three-toed, see *Picoides tridactylus*
Waved, see *Celeus undatus*
West Indies, see *Melanerpes superciliaris*
White-backed, see *Dendrocopus leucotus*, *Picoides leucotos*
Wood-Peewee
Western, see *Contopus sordilus*
Woodpigeon, see *Columba palumbus*
Woodstar
Bahama, see *Calliphlox evelynae*
Wren
Bewick's, see *Thryomanes bewickii*
Cactus, see *Campylorhyncus brunneicapillus*
Carolina, see *Thryothorus ludovicianus*
Canyon, see *Catherpes mexicanus*
House, see *Trogolodytes aedon*
Rock, see *Salpinctes obsoletus*
Stripe-backed, see *Campylorhynchus nuchalis*
Winter, see *Troglodytes troglodytes*
Wryneck, see *Jynx torquilla*
Xanthocephalus xanthocephalus, 5
Yellowhammer, see *Emberiza citrinella*
Yellowthroat
Common, see *Geothlypis trichas*
Zenaida aurita, 342–343 (r)
Z. macroura, 192–200, 299–305, 442, 600, 616
Zonotrichia albicollis, 486, 540–548
Z. leucophrys, 435–443
Zosterops lateralis, 169–179, 502 (r)